

# GROMVEL RACE - gold brick / iron



## YEAR

2024

## FRAME

520, 550, 580

Colours	gold brick / iron
Frame	ALUMINIUM SUPERLITE ICR
Fork	CARBON DURABLE 12mm
Chainring	SHIMANO GRX FC-RX610-2 12SPD 46/30T
Shifting	SHIMANO GRX ST-RX610 2x12SPD
Deraillieur	SHIMANO GRX RD-RX820 12SPD
Front deraillieur	SHIMANO GRX FD-RX820
Freewheel	SHIMANO CS-HG710-12 12SPD 11-36T
Chain	SHIMANO CN-M6100 12SPD
Brakes	SHIMANO GRX BR-RX410 (160/140)
Brake levers	SHIMANO GRX ST-RX610
Front hub	SHIMANO HB-RS470 E-THRU 12mm
Rear hub	SHIMANO FH-RS470 E-THRU 12mm
Rims	MACH1 Pulse 19 700C
Tires	SCHWALBE G-ONE Allround 40-622
Pedals	UNION SP-600
Handlebars	FSA RACE BAR VERO COMPACT
Stem	FSA RACE 31,8mm
Seatpost	FSA GOSSAMER 27,2mm

Saddle  
Bottom bracket  
Weight

SELLE ITALIA X-LR SF  
Integrated  
9.8

Recommended frame sizes are only approximate

Frame size	520	550	580
Minimum height (cm)	165	180	190
Maximum height (cm)	180	190	205
Seat tube (mm) (A)	520	550	580
Top tube (mm) (B)	540	565	585
Chainstay (mm) (C)	425	425	425
Wheelbase (mm) (D)	1006	1022	1031
Seat tube angle (°) (E)	74	73.5	73
Head tube angle (°) (F)	72	72.5	73
Reach (mm) (E)	378	391	394
Stack (mm) (F)	566	587	627
BB drop (mm)	68	68	68

