

SONNIC RACE - flame red / hologram



YEAR

2024

FRAME

15,5", 17", 19", 20,5"

| | |
|----------------|-------------------------------------------------------------|
| Colours | flame red / hologram |
| Frame | Carbon Full High Modulus 29" |
| Fork | RS SID SELECT 3P Remote 120 |
| Shock absorber | RS SIDLUXE ULTIMATE 3P Remote 120 |
| Chainring | SHIMANO XT FC-M8100-1 12SPD 34T |
| Shifting | SHIMANO XT SL-M8100 1x12SPD |
| Deraillieur | SHIMANO XT RD-M8100 12SPD |
| Freewheel | SHIMANO XT CS-M8100 12SPD 10-51T |
| Chain | SHIMANO M7100 12SPD |
| Brakes | SHIMANO XT BR-M8100 (180/160) |
| Brake levers | SHIMANO XT BL-M8100 |
| Rims | FULCRUM RED ZONE 300 |
| Tires | SCHWALBE Racing Ray 29x2,35 / SCHWALBE Racing Ralph 29x2,35 |
| Pedals | *** |
| Handlebars | RITCHEY WCS TRAIL 760mm |
| Stem | RITCHEY WCS TRAIL |
| Seatpost | LIMOTEC DROPPER 125/150 |
| Saddle | SELLE ITALIA NOVUS BOOST EVO X-CROSS SF |
| Bottom bracket | Integrated Press Fit |

Recommended frame sizes are only approximate

| Frame size | 15,5" | 17" | 19" | 20,5" |
|-------------------------|-------|------|------|-------|
| Minimum height (cm) | 155 | 165 | 175 | 185 |
| Maximum height (cm) | 165 | 175 | 185 | 202 |
| Seat tube (mm) (A) | 400 | 440 | 480 | 520 |
| Top tube (mm) (B) | 567 | 590 | 612 | 639 |
| Chainstay (mm) (C) | 440 | 440 | 440 | 440 |
| Wheelbase (mm) (D) | 1153 | 1177 | 1201 | 1230 |
| Seat tube angle (°) (E) | 76 | 76 | 76 | 76 |
| Head tube angle (°) (F) | 66 | 66 | 66 | 66 |
| Reach (mm) (E) | 420 | 440 | 460 | 485 |
| Stack (mm) (F) | 591 | 600 | 609 | 618 |
| BB drop (mm) | 38 | 38 | 38 | 38 |

