

# ENGRAVE FLAT - velvet/metal bronze



**PRICE** €2.093,62 | **YEAR** 2024 | **FRAME** 520mm, 550mm, 580mm

|              |                                             |
|--------------|---------------------------------------------|
| Colours      | velvet/metal bronze                         |
| Frame        | ALU E7005 Gravel frame + battery integrated |
| Fork         | CARBON DURABLE 12mm                         |
| Chainring    | FSA Gossamer 44T                            |
| Shifting     | SHIMANO DEORE SL-M5100 1x11SPD              |
| Derailleur   | SHIMANO DEORE RDM5120 1x11SPD               |
| Freewheel    | SHIMANO CS-M7000 11SPD 11-42                |
| Chain        | SHIMANO CS-HG600 11SPD                      |
| Brakes       | SHIMANO BR MT201 (160/160)                  |
| Brake levers | SHIMANO BL MT201                            |
| Front hub    | SHIMANO HB-RS470 12mm                       |
| Rear hub     | FSA Gravel motor hub                        |
| Rims         | MACH1 Gravel Disc                           |
| Tires        | SCHWALBE G-ONE ALLROUND 40-622              |
| Pedals       | UNION SP-600                                |
| Handlebars   | 4EX sand blasted 720mm                      |
| Stem         | 4EX sand blasted                            |
| Seatpost     | 4EX sand blasted                            |
| Saddle       | SELLE ITALIA Q-BIK                          |

|         |                               |
|---------|-------------------------------|
| Motor   | FSA System HM 1.0 (42 Nm)     |
| Display | FSA Remote Button, BT         |
| Battery | FSA Intube 252 Wh, 7 Ah, 36 V |
| Charger | FSA 42 V / 2 A                |
| Weight  | 15.5                          |

Recommended frame sizes are only approximate

| Frame size              | 520mm | 550mm | 580mm |
|-------------------------|-------|-------|-------|
| Minimum height (cm)     | 165   | 180   | 190   |
| Maximum height (cm)     | 180   | 190   | 205   |
| Seat tube (mm) (A)      | 520   | 550   | 580   |
| Top tube (mm) (B)       | 565   | 580   | 595   |
| Chainstay (mm) (C)      | 425   | 425   | 425   |
| Wheelbase (mm) (D)      | 1041  | 1056  | 1060  |
| Seat tube angle (°) (E) | 72.5  | 72.5  | 72    |
| Head tube angle (°) (F) | 71    | 71    | 71.5  |
| Reach (mm) (E)          | 387   | 402   | 405   |
| Stack (mm) (F)          | 589   | 608   | 629   |

